

SAFETY DATA SHEET

Page 1 of 11

Revision Date: 07/07/2023

SECTION 1. IDENTIFICATION

Product identifier used on the label

: **SPEC SUPER STRIP**

Recommended use of the chemical and restrictions on use

: Water-based floor stripper

: Restriction on use: None known

Chemical family

: Mixture

Name, address, and telephone number
of the manufacturer or supplier:

SCL (Trinidad) Limited.

LP #45, Saddle Road,

San Juan, Trinidad,

West Indies

Supplier's Telephone # : 1 868 675 5555

24 Hr. Emergency Tel # : CHEMTREC assistance, call: 800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear, pale-yellow liquid. Mild solvent odor.

Hazard classification:

Flammable Liquid - 0

Acute Toxicity, inhalation - Category 1 (mist)

Acute toxicity, dermal - Category 1

Acute toxicity, oral - Category 1

Skin Irritation - Category 1

Serious eye damage/eye irritation - Category 2A

Label elements

Hazard pictogram(s)



Signal Word

DANGER!

Hazard statement(s)

Harmful in contact with
skin.

Harmful if swallowed.

Causes serious eye irritation.

Causes skin irritation.

SAFETY DATA SHEET

Page 2 of 11

Precautionary statement(s)

Avoid breathing mist.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only in a well-ventilated area.
Wear protective gloves/clothing and eye/face protection.

If on skin: Wash with plenty of soap and water.
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs, get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
If eye irritation persists: get medical advice/attention.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER or doctor/physician if you feel unwell.
If swallowed: Call a poison center/doctor if you feel unwell.
Rinse mouth.

Store in a well-ventilated place. Keep container tightly closed.
Keep cool.
Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards

Other hazards which do not result in classification:

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be an aspiration hazard.
Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
2-butoxyethanol Ethanolamine	Glycol Ether EB Monoethanolamine	111-76-2 141-43-5	25 - 32 8 - 15

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

Ingestion : Do NOT induce vomiting. Never give anything by mouth to an unconscious person.
Get medical attention if symptoms persist.

Inhalation : If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE or doctor/physician if you feel unwell.

Skin contact : If on skin: Wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash before re-use.

Eye contact : For eye contact, flush with running water for at least 15 minutes. If eye irritation persists, get medical advice/attention.

SAFETY DATA SHEET

Page 3 of 11

Most important symptoms and effects, both acute and delayed

- : Harmful in contact with skin. Irritating if inhaled. Causes skin irritation. Harmful if swallowed. Contact may cause redness, swelling and a painful sensation. Causes serious eye irritation. Symptoms may include tearing, redness and discomfort. May cause respiratory irritation. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration hazard
- material may cause lung inflammation or damage if it enters lungs through vomiting or swallowing. Inhaling high concentrations may cause central nervous system depression, with effects ranging from dizziness and headache to unconsciousness. Chronic overexposure to 2-butoxyethanol may cause liver, kidney and blood damage, based on animal data.

Indication of any immediate medical attention and special treatment needed

- : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

None required. Product is non-flammable

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- : All persons dealing with the clean-up should wear the appropriate chemically protective equipment. Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

- : Do not allow material to contaminate ground water system. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

Methods and material for containment and cleaning up

- : Prevent further leakage or spillage if safe to do so. Absorb material with inert absorbent, and place into labelled containers for disposal. Contact the proper local authorities. Refer to Section 13 for disposal of contaminated material.

SAFETY DATA SHEET

Page 4 of 11

Special spill response procedures

: Contact appropriate local and provincial environmental authorities for assistance and/or reporting requirements. US CERCLA Reportable quantity (RQ): None.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

: Use only in well-ventilated areas. Avoid breathing mist or vapours. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.
Store in cool/well-ventilated place. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking. Keep container tightly closed.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:

<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
2-butoxyethanol	20 ppm	N/Av	50 ppm (skin)	N/Av
Ethanolamine	3 ppm	6 ppm	3 ppm	6 ppm

Exposure controls

Ventilation and engineering measures

: Use only in well-ventilated areas. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient ventilation wear suitable respiratory equipment.

Respiratory protection

: If airborne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02. Advice should be sought from respiratory protection specialists.

Skin protection

: Wear protective gloves/clothing. Where extensive exposure to product is possible, use resistant coveralls, apron and boots to prevent contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye / face protection

: Wear eye/face protection. Wear as appropriate: Tightly fitting safety goggles

Other protective equipment

: Ensure that eyewash stations and safety showers are close to the workstation location. Other equipment may be required depending on workplace standards.

General hygiene considerations

: Avoid breathing mists. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Clear fluorescent pale-yellow liquid.
Odour : Mild solvent odour.

SAFETY DATA SHEET

Page 5 of 11

Odour threshold : 0.48 ppm
pH : 11 – 12
Melting/Freezing point : 0°C
Initial boiling point and boiling range
: 100°C
Flash point : Not applicable
Flashpoint (Method) :
Flammability (solid, gas) : Not applicable.
Lower flammable limit (% by vol.)
: Not available.
Upper flammable limit (% by vol.)
: Not available.
Oxidizing properties : None known.
Vapour pressure : Not available
Vapour density : (Air = 1) 4
Relative density / Specific gravity
: 0.99
Solubility in water : Totally miscible with water
Decomposition temperature : Not known.
Viscosity : Not available.
Volatiles (% by weight) : 25 - 32

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions
: Hazardous polymerization does not occur.
Conditions to avoid : Do not use in areas without adequate ventilation. Avoid contact with incompatible materials. Prolonged storage. Do not allow evaporation to dryness.
Incompatible materials : Strong oxidizers (e.g. Chlorine, Peroxides, etc.).
Hazardous decomposition products
: None known, refer to hazardous combustion products in Section 5.

SAFETY DATA SHEET

Page 6 of 11

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES

Routes of entry skin & eye : YES

Routes of entry Ingestion : YES

Routes of exposure skin absorption
: YES

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

: Harmful if inhaled. May cause respiratory irritation. Symptoms may include coughing and sneezing. Inhalation may cause headache, nausea and central nervous effects such as dizziness, coordination difficulties and unconsciousness. Could result in pulmonary edema (fluid accumulation).

Sign and symptoms ingestion

: Harmful if swallowed. Ingestion can cause gastrointestinal irritation, nausea, and diarrhea. May be an aspiration hazard.

Sign and symptoms skin

: This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).
Skin irritation. Category 2 Causes skin irritation.
Toxic in contact with skin. May be absorbed and cause symptoms similar to those for inhalation.

Sign and symptoms eyes

: This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).
Eye damage/irritation Category 2A Causes serious eye irritation.

Potential Chronic Health Effects

: Repeated exposure may cause skin dryness or cracking. Chronic overexposure to 2-butoxyethanol may cause liver, kidney and blood damage, based on animal data.

Mutagenicity

: Not expected to be mutagenic in humans.

Carcinogenicity

: No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

: This product is not expected to cause reproductive or developmental effects.

Sensitization to material

: Not expected to be a skin or respiratory sensitizer.

Specific target organ effects : According to the classification criteria of U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015), this product is not expected to cause target organ toxicity through single or repeated exposures.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye, respiratory and central nervous system disorders.

Synergistic materials

: No information available.

Toxicological data

: See below for toxicological data on the substance.
Acute Toxicity, inhalation – Category 1
Acute toxicity, dermal - Category 1
Acute toxicity, oral - Category 1

SAFETY DATA SHEET

Page 7 of 11

<u>Chemical name</u>	<u>LC₅₀(4hr)</u>	<u>LD₅₀</u>	
	<u>inh, rat</u>	<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
2-butoxyethanol	2.175 mg/L	530 mg/kg	400 - 500 mg/kg
Ethanolamine	1.3 mg/L	1720 mg/kg	1,000 mg/kg

Other important toxicological hazards

: None reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity : Not expected to be harmful to aquatic organisms. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Do not allow material to contaminate ground water system. See the following tables for the substance's ecotoxicity data.

Ecotoxicity data:

<u>Ingredients</u>	<u>CAS No</u>	<u>Toxicity to Fish</u>		
		<u>LC₅₀ / 96h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
2-butoxyethanol	111-76-2	1490 mg/L (Lepomis macrochirus)	>100 mg/L (Zebra fish)	none

<u>Ingredients</u>	<u>CAS No</u>	<u>Toxicity to Daphnia</u>		
		<u>EC₅₀ / 48h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
2-butoxyethanol	111-76-2	835 mg/L (Daphnia magna)	100 (Daphnia magna)	none

<u>Ingredients</u>	<u>CAS No</u>	<u>Toxicity to Algae</u>		
		<u>EC₅₀ / 96h or 72h</u>	<u>NOEC / 96h or 72h</u>	<u>M Factor</u>
2-butoxyethanol	111-76-2	911 mg/L (Green algae)	286 mg/L (Green algae)	none

Persistence and degradability

: Readily biodegradable.

Bioaccumulation potential

: Not expected to bioaccumulate.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
2-butoxyethanol (CAS 111-76-2)	0.81 at 25 °C	0.97

Mobility in soil : No data is available on the product itself.

Other Adverse Environmental effects

: None known.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8.

SAFETY DATA SHEET

Page 8 of 11

- Methods of Disposal** : Dispose in accordance with all applicable federal, state, provincial and local regulations.
- RCRA** : If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14. TRANSPORTATION INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
49CFR/DOT	None.	Not regulated.	not regulated	none	
49CFR/DOT Additional information	Not regulated for road or rail shipment if packaged in non-bulk containers (1000 Litres or less each).				
TDG	None.	Not regulated.	not regulated	none	
TDG Additional information	None.				
IMDG	None.	Not regulated.	not regulated	none	
IMDG Additional information	None.				
ICAO/IATA	None.	Not regulated.	not regulated	none	
ICAO/IATA Additional information	None.				

Special precautions for user : Appropriate advice on safety must accompany the package.

Environmental hazards : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
: This information is not available.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

SAFETY DATA SHEET

Page 9 of 11

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de minimus Concentration
2-butoxyethanol	111-76-2	Yes	N/Ap	N/Av	No	N/Ap

SARA TITLE III: Sec. 311 and 312, SDS Requirements. No data

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
2-butoxyethanol	111-76-2	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes

Canadian Information:

Canadian Environmental Protection Act (CEPA): . All ingredients are present on the DSL.

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS #	European EINECS	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
2-butoxyethanol	111-76-2	203-905-0	Present	Present	(7)-97; (2)-407	KE-04134	Present	HSR001154

SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists
 AICS: Australian Inventory of Chemical Substances
 ATE: Acute Toxicity Estimate
 CA: California
 CAS: Chemical Abstract Services
 CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
 CFR: Code of Federal Regulations
 CSA: Canadian Standards Association
 DOT: Department of Transportation
 ECHA: European Chemicals Agency
 ECOTOX: U.S. EPA Ecotoxicology Database
 EINECS: European Inventory of Existing Commercial chemical Substances
 ENCS: Existing and New Chemical Substances
 EPA: Environmental Protection Agency
 HSDB: Hazardous Substances Data Bank
 IARC: International Agency for Research on Cancer

SAFETY DATA SHEET

Page 10 of 11

IBC: Intermediate Bulk Container
 IECSC: Inventory of Existing Chemical Substances
 IMDG: International Maritime Dangerous Goods
 IOC: Inventory of Chemicals
 IUCLID: International Uniform Chemical Information Database
 KECL: Korean Existing Chemicals Inventory
 KECL: Korean Existing Chemicals List
 LC: Lethal Concentration
 LD: Lethal Dose
 MA: Massachusetts
 MN: Minnesota
 N/Ap: Not Applicable
 N/Av: Not Available
 NIOSH: National Institute of Occupational Safety and Health
 NJ: New Jersey
 NOEC: No observable effect concentration
 NTP: National Toxicology Program
 OECD: Organisation for Economic Co-operation and Development
 OSHA: Occupational Safety and Health Administration
 PA: Pennsylvania
 PEL: Permissible exposure limit
 PICCS: Philippine Inventory of Chemicals and Chemical Substances
 RCRA: Resource Conservation and Recovery Act
 RI: Rhode Island
 RTECS: Registry of Toxic Effects of Chemical Substances
 SARA: Superfund Amendments and Reauthorization Act
 SDS: Safety Data Sheet / Material Safety Data Sheet
 STEL: Short Term Exposure Limit
 TDG: Canadian Transportation of Dangerous Goods Act & Regulations
 TLV: Threshold Limit Values
 TSCA: Toxic Substance Control Act
 TWA: Time Weighted Average
 WHMIS: Workplace Hazardous Materials Identification System

References

1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2016
2. International Agency for Research on Cancer Monographs, searched 2016
3. Canadian Centre for Occupational Health and Safety, CCIInfoWeb databases, 2016(Chempendium, HSDB and RTECs).
4. Material Safety Data Sheets from manufacturer.
5. US EPA Title III List of Lists - 2016 version.
6. California Proposition 65 List - 2016 version.
7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2016.

Preparation Date (mm/dd/yyyy)

: Nov 2022

Other special considerations for handling

: Provide adequate information, instructions and training for operators.

SCL products are guaranteed against defective materials and manufacture and are sold subject to its standard Terms & Conditions of Sale, copies of which may be obtained on request. Whilst SCL endeavors to ensure that any advice, recommendations, specification or information it may give is accurate and correct, it cannot, because it has no direct or continuous control over where or how its products are used, accept any liability either directly or indirectly arising from the use of its products, whether or not in accordance with any advice, specification, recommendation or information given by SCL.

SCL (TRINIDAD) LIMITED
 LP 45, Saddle Road, San Juan, Trinidad and Tobago.
 Phone : (868) 675-5555 Fax : (868) 638-6302
 Email: sales@scl-group.com
 Website: www.scl-group.com